

Preliminary Report on a Study of the Materia Medica
of the Greco - Roman period in Egypt .

BY

H - J ARNOLD

1981 M.-H. Marganne compiled and published an important medical inventory from Greek Papyri found in several places mainly in Upper Egypt. The material covers a period from the III. c. B.C. to the VI. c. A.D. comparatively little is known about the medicine of these nearly one thousand years.

Aim of our research:

- 1- To put this material medica into a workable form from the ethnopharmacological point of view.(See table 1)
- 2- To compare the material with the pharaonic medicinal plants and those used in coptic medicine ((second lecture)).

As there was no plant material nor any conclusive iconography available, we depended entirely on the vernacular Greek names. There were often many vernacular names for one plant or many different plants for one vernacular name, a problem frequently encountered in studies of traditional medicine.

The plants were classified according to the latest standard and the families for these plants were added. For every entry the main medical indication and the part of the plant normally used was given.

Results:

The following computerised list (table 1) presents so far the largest material on medicinal plants of the period from the III c. B.C. to the VI. c.A.D.

185 plants are mentioned, representing 64 plant families. The most important families in this context are:

Umbelliferae	22 species
Labiatae	16 species
Leguminosae	13 species

The vernacular names used during the Greco-Roman period do often not correspond to modern taxonomy. We have tried to identify these names according to their known occurrence in Egypt or neighbouring countries at that particular period or according to their known properties. Whenever we attempted this the names are underlined.

This list is not final. It is subject to further additions following upon discovery of new material.

Future Research:

Though the list is rather extensive, it should still be considered a preliminary one as so many subjects need further study.

- 1- A very critical check on the identity of the plants is still needed as some material might have been imported from other countries.

- 2- A comprehensive list of the minerals has to be compiled.
- 3- All animal material used medicinally must be listed.
- 4- Nearly all recipes were combinations. They can, however, only be discussed after classifying the minerals and animals.
- 5- All galenical preparations will be listed.

The above points are already under investigation.

TABLE I
ETHNOBOTANICAL DATA ON ANCIENT GREECO-EGYPTIAN MEDICAL PAPYRI

Latin name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
<i>Acacia nilotica</i> (L.) Willd. ex Del.	Leguminosae	ἀκακίας	Nr. 10; Theb.; II./III.c.A.D.	Cum	Astring., derm. and	<i>Acacia vera</i> Willd.
		ἀκακίας	Nr. 13; Theb.; IV.c.A.D.		Ophthalm.	<i>A. albida</i> Del. (cf. T.)
		ἀκακίας	Nr. 17; v. VI.c.A.D.		Ophthalm.	<i>A. tortillis</i> Mayne
		ἀκακίας	Nr. 140; -; II./III.c.A.D.		(3 prescr.)	<i>A. farneiana</i>
		ἀκακίας	Nr. 150; -; II.c.A.D.		Ophthalm.	Willd.
		ἀκακίας			Stomatol. use	(Germer, R.)
<i>Acacia verec</i> Gill. et Perz.	Leguminosae	κόμψης	Nr. 112; Aphr.; f. IV.c.A.D.	Gum	Migraine	
		κόμψης	Nr. 134; Oxy.; b.I.c.A.D.	"		
		κόμψης	Nr. 170; -; II.c.A.D.	"		
		κόμψης	Nr. 172; Tebt.; e.II./b.II.c.A.D.	"	Ophthalm.	
		κόμψης	Nr. 172; Tebt.; e.II./b.II.c.A.D.	"		
		κόμψης	Nr. 172; Tebt.; e.II./b.II.c.A.D.	"		
		κόμψης	Nr. 177; -; V.IV.c.A.D.	"		
		κόμψης	Nr. 148; -; III.c.A.D.	"		
		κόμψης	Nr. 140; -; II./III.c.A.D.	"		
		κόμψης	Nr. 140; -; II./III.c.A.D.	"		
		κόμψης	Nr. 154; Tebt.; II.c.A.D.	"		
<i>Adiantum capillus-veneris</i> L.	Adiantaceae	κολυτός [χ]ίου,	Nr. 148; -; III.c.A.D.	Arabic gum	Astring.	
		στύves και	Nr. 10; Theb.; II./III.c.A.D.	"	Acacia arabica	
		στύves και	Nr. 19; Theb.; VI./VII.c.A.D.	"	Willd.	
		κόμψης	Add. 2/6; -; II.c.A.D.	"		
		κόμψης		"		
<i>Alkanna lehmannii</i> (Tineo) (= <i>A. tinctoria</i> Tausch)	Porraginaceae	ἀνθούσης	Nr. 148; Herm. M.; e.III./b.IV.c.A.D.	Young fol.	Basis of hair	
			Nr. 70; Arsinoe; e.III.c.B.C.			
<i>Allium cepa</i> L.	Liliacae	κρόπιμπον	Nr. 148; -; III.c.A.D.	Rad. & Cest.	-	
				Bulb	-	

Latin name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
7. <i>Allium porrum</i> L.	Liliaceae	πορόν κυάνη [θε]ρμόν κυλών η πορόν φορ η πορόν	Nr.131;Oxy.;I.I.c.A.D.	Tot. pl. (hot juice)	Eat complaints	
8. <i>Allium sativum</i> L.	Liliaceae	σκόρδος (v)	Nr.164;Tebt.;II.c.A.D.	Bulb	Derm. against lichen	
9. <i>Aloe</i> sp.	Liliaceae	έλοντος, άλοντος άλοντος μήνης	Nr.16;Theb.;IV.c.?A.D. Nr.50;Antic.;VI.c.A.D. Nr.164;Tebt.;II.c.A.D. Nr.185;=III.c.A.D.	Juice of fol.	<i>Aloe vulgaris</i> Lam. (cf. Till)	
10. <i>Anacyclus pyrethrum</i> DC. (= <i>Anthemis pyrethrum</i> L.)	Compositae	πυρέθρου	Add.2/5;=IV.c.A.D.	Rad.	Dermatol.	
11. <i>Anchusa</i> sp.	Boraginaceae	πυρόποδασου	Nr.118;=VI.c.A.D.	Flor.	Against podagra ?	
12. <i>Anthemis armeniaca</i> L.	Umbelliferae	πούρωσου	Nr.45;Antic.;VI.c.A.D.	Sem. (fr.)	<i>A. italicica</i> Retz	L.
13. <i>Archericum baeticum</i> (Boiss.) Boiss.	Liliaceae	—	—	—	—	u
(= <i>Phaianthium romosum</i> (L.) Poirier, non Burm.fil.)		φαλαγγίτιον ή φαλαγγίτης	Nr.178;Tebt.;II.c.A.D. Nr.45;Antic.;VI.c.A.D.		d	
14. <i>Anthoxanthum famesum</i> L. (= <i>Phaiangium ramosum</i> Poir. — selon Marganne)	Liliaceae	φαλαγγίτιον ή φαλαγγίτης	Nr.7;V./VI.c.A.D. Nr.42;Antic.;VI.c.A.D. Nr.54;Antic.;VI.c.A.D.	Sen. (fr.)	—	u
Note: selon la Fl. Eur. V., p. 18 No.3, ces deux genres de la même espèce ne sont pas synonymes.			Nr.91;=I.c.A.D.	—	—	u
15. <i>Apium graveolens</i> L.	Umbelliferae	βελτινου βελτινου βελετινου βελετινου βελτινου	Nr.136;Oxy.;V.c.A.D. Nr.16;=II.c.A.D. Nr.168;=III.c.A.D.	Sen. (fr.)	Purgative	u

TABLE I.

Latin name of the Plants	Family	Greek name of the plants	No., Place, Date	Part used	Indication	Remarks
Aristolochia sp.	Aristolochiaceae	ἀριστολόχειας σπέρματος for ἀριστολόχειας	Nr.70;Arsin.;e;III.c.B.C.	Sem.	-	<i>Aristolochia longa</i> L. (cf. Till) <i>A. rotunda</i> L.
Aristolochia baetica L. (= A. clematitis L.)	Aristolochiaceae	ἀριστολόχεια κληματίτης	Nr.45;Anti.;VI.c.A.D.	Rad.	Gum of the teeth	
Artemisia rusticana P.Gaertn., B. Mey. et Scherb.	Compositae	ῥάσα ν εῖδων (γῆψινθου (ά)ψινθο(υ) ῥάσανθέτου	Nr.123;Oxy.;II.c.A.D.	-	Emetic	
Asplenium adiantum-nigrum L.	Aspleniaceae	ἰσκαληπτίδην	Nr.123;Oxy.;II.c.A.D.	Rad.	not to be confused with <i>Artemisia</i> <i>campastris</i> and <i>A. arboreascens</i> (cf. Till)	
Asclepias sp.	Liliaceae	σφρόδελου	Nr.164;Tebt.;III.c.A.D.	Fol. & fr.	snail fissures	
Asphodelus sp. (= Asphodelus aestivus L. = Asphodelus microcarpus Viv.)	Kōkavtov	Nr.71;Herm.M.;e.III./b.IV.c.A.D.	Tub.	Wine		
Asplenium adiantum-nigrum L.	Aspleniaceae	ἰσκαληπτίδην	Nr.71;Herm.M.;e.III./b.IV.c.A.D.	Rad.	pain of hip	<i>A. curassavica</i> L.
Astragalus sp. (= <i>Astragalus gummifer</i> Labill.)	Leguminosae	τρακανάνθης fortrakanaνθης τρακα(κάνθης) Nr.117;-,V./VI.c.A.D.	Nr.9;Theb.;II./III.c.A.D.	Leprosy, Psoriasis, lichen	Against loss of hair	
		fortrakanaνθης τρακα(κάνθης) Nr.117;-,V./VI.c.A.D.	" "	Gum (adrug.)	Astringent	
		n	" "		Collyre "pilarion"	
		Nr.117;-,V./VI.c.A.D.	" "		"	
		n	" "		Collyre	
		Nr.13;Theb.;?IV.c.A.D.	" "		-	
		τραγ αγκάνθης Nr.19;Theb.;VI./VII.c.A.D.	" "			
		τραγ αγκάνθης Nr.19;Theb.;VI./VII.c.A.D.	" "			
Athamanta cretensis L. ?	Umbelliferae	βανκου ;	Nr.134;Oxy.;b.I.c.A.D.	-	liver complaints (potion)	
Balloota pseudodictamnum Benth.	Labiatae	[Φεύδοδίκτα-] μον for ψευδόδικταμον	Nr.176;Tebt.;II.c.A.D.	Tot. Pl.		

Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
Burseraceae	φιλάνδρος πύλαντα, μάνικη	Nr.53;Anti.;VI.c.A.D. Nr.150;--;II.c.A.D.	Fol.	B. carteri Birdw. and others (Gossweiler R.)	
Purseraceae	Αιβένου φλοιός Αιβένου Αεβαίλιού Αιβάνου Αιβένου Αιβάνου λιβένου Αιβάνων λιβένου Αιβάνων λιβένων Αιβάνων	Nr.110;--;II.c.A.D. Nr.118;--;VI.c.A.D. O Add 2/12;--;II.c.A.D. Nr.172;Tebt.;e;II./b.III.c.A.D. Add 2/5;--;IV.c.A.D. Nr.149;--;III.c.A.D. Nr.155;--;III/II.c.B.C. Nr.154;Oxy.;b.I.c.A.B. Nr.150;--;II.c.A.D.	Cort. Gum o.r. " " " " " " " " " " " " Fr.-incense (manna) Gum o.r.	Product of Boswellia sacra Linné and other Boswellia sp.	Ophthalm.
Cruciferae	κράμπης - ανέψιας	Nr.7;--;V.VI.c.A.D.	Sem.	Against epistaxis	
Boraginaceae	Κλιπέλου λευκής	Nr.57;Anti.;VI.c.A.D.	Rad.		
Boraginaceae	μυού σωτήσος	Nr.50;Anti.;VI.c.A.D.	Fr. + Rad.		
Buglossoides purpureo-caerulea (L.) I.M. Johnston (- Lithospermum purpureo- caeruleum L.)					
Umbelliferae	σελούχεια αισιονικό	Nr.134;Oxy.;b.I.c.A.D.			
Celastraceae	-				
Scrophulariaceae	βρύτην ἀρπτού	Nr.176;Tebt.;II.c.A.D.	Rad.		
Compositae	κετραύρειον, κετραύρειον	Nr.134;Oxy.;b.I.c.A.D. Nr.70;Arsin.;e.III.c.A.D.	Pl. (juice)	Liver complaints (Germer R.)	
Gentianaceae	κενταύρειον το μυρδύ	Nr.45;Anti.;VI.c.A.D.		Sum. flor.	Antiseptic (cyclidae)
Centaurea erythraea Rafn. (- Erythraea centaurium Pers.)	Centaurea centaurium L.				

Latin name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
41. Cistus ladanifer L.	Cistaceae	λαδανόν	Nr.30 and/or 44 ? Nr.71; Herm. H.; e.III./ beg. IV.c.A.D.	Resin (ladanum)	Against loss of hair	<i>Cistus creticus</i> <i>Syrenium acuminatum</i> (Linnæus Ant.) (Cermer R.)
42. Citrus medica	Rutaceae	κίτρινη	Nr.36; -; IV/V.c.A.D.	Fr. Cort. and Juice off, Fr.	Ointment for head	<i>Citrus medica L.</i> var. <i>Clementina</i> (Garrigue R.)
43. Onicus sp.	Compositae	όκευθαλευκή	Nr.45; Anti.; VI.c.A.D.	Tot. Pl. flor.	-	<i>Onicus benedicti</i> C. r. [F. chromon etc]
47. Cinnamomum cassia Blume	Lauraceae	κασίανος κινναμώνιον	Nr.134; Oxy.; b. I.c.A.D. Nr.70; Arsin.; e.III.c.B.C. Nr.70; Arsin.; e.III.c.B.C. Nr.120; -; I.-III.c.B.C.	Fol. Cort. stem	-	<i>Cinnamomum cassia</i> Blume (Linnæus Ant.)
49. Cistus sp.	Cistaceae	κιστός for κισσού	Nr.45; Anti.; VI.c.A.D.	Resin	-	<i>Cistus creticus</i> C. ladanifer L.
40. Cistus creticus L.	Cistaceae	λαδανόν	Nr.30 and/or 44 ? Nr.71; Herm. H.; e.III./ beg. IV.c.A.D.	Resin (ladanum)	Against loss of hair	<i>Cistus creticus</i> C. ladanifer L.
45. Chondrilla juncea L.	Compositae	κούδρινη	Nr.11; Theb.; IV.c.A.D.	Rad. Fol. Stem Juice of the Radix Cooked juice	Against int. gnawing pain	Against dyspepsia
46. Ceratonia siliqua L.	Mimosaceae	μεράπτια	Nr.11; Theb.; IV.c.A.D.	Fr. (sweet pulp) Sem. (Caroub gum)	Against int. gnawing pain	

<i>Commiphora myrrha</i> (Nees) Engler	Burseraceae	μαρύρη κονιφή μαράκου	Nr. 70; Arsin.; e; III.c.B.C. Nr. 70; Arsin.; e; III.c.B.C.	Gum o.r. (myrrha)	-	<i>C. abyssinica</i> Engl.
		ζυρόψιον	Nr. 110; -; II.c.A.D.	Ophthalmic (drops - eye salve	-	<i>Balsamea myrrha</i> Engl. (cf. Till)
		ζυρόπετρης,	Nr. 170; -; II.c.A.D. (4 x)	"	-	
		ζυρόνησις,	Nr. 10; Theb.; II.; III.c.A.D.	"	-	
		ζυρόνησις, ζυρόνησις,	Nr. 13; Theb.; ?IV.c.A.D.	"	-	
		ζυρόνησις, ζυρόνησις,	Nr. 70; Arsin.; e; III.c.B.C.	"	-	
		ζυρόνησις, ζυρόνησις,	Nr. 70; Arsin.; e; III.c.B.C.	"	-	
		ζυρόνησις, ζυρόνησις,	Add 2/6; -; II.c.A.D.	"	-	
		ζυρόνησις, ζυρόνησις,	Nr. 124; Oxy.; b.I.c.A.D.	"	-	
		ζυρόνησις, ζυρόνησις,	Nr. 136; Oxy.; v.c.A.D.	"	-	
		ζυρόνησις, ζυρόνησις,	Nr. 155; -; III/I.c.B.C.	Gynaeco.	-	
		ζυρόνησις, ζυρόνησις,	Nr. 155; -; III/I.c.B.C.	Stomatol. use	-	
		ζυρόνησις, ζυρόνησις,	Nr. 17; -; v.VI.c.A.D.	Collyre	-	
		ζυρόνησις, ζυρόνησις,	Nr. 17; -; v.VI.c.A.D.	Collyre	-	
		ζυρόνησις, ζυρόνησις,	Nr. 120; -; I.-III.c.B.C.	Collyre	-	
		ζυρόνησις, ζυρόνησις,	Nr. 172; Tebt.; e; II./b.III.c.A.D.	Ophtalm.	-	
		ζυρόνησις, ζυρόνησις,	Nr. 172; Tebt.; e; II./b.III.c.A.D.	Ophtalm.	-	
		ζυρόνησις, ζυρόνησις,	Nr. 172; Tebt.; e; II./b.III.c.A.D.	Ophtalm.	-	
		ζυρόνησις, ζυρόνησις,	Nr. 154; Tebt.; II./III.c.A.D.	Dermatol.	-	
		ζυρόνησις, ζυρόνησις,	Add 2/12; -; II.c.A.D.	Against dermatose	-	
		ζυρόνησις, ζυρόνησις,	Add 2/12; -; II.c.A.D.	Collyre for child.	-	
		ζυρόνησις, ζυρόνησις,	Nr. 140; -; II./III.c.A.D.	Collyre (drops)	-	
		ζυρόνησις, ζυρόνησις,	Nr. 131; Oxy.; e.II.b.III.c.A.D.	Dermatol. plaster	-	
<i>Commiphora opobalsamum</i> Engl. * <i>Balsamodendron opobalsamum</i>	Burseraceae	όποβαλσαμόν	Nr. 170; -; II.c.A.D.	Ophthalmic and not Commiflora	-	
		όποβαλσαμόν	Nr. 162; Herm.M.; v.c.A.D.	Expectorant	-	
		όποβαλσαμόν(ου)	Nr. 154; Tebt.; II.c.A.D.	Dermatol.	-	
		όποβαλσαμόν	Add 2/5; -; IV.c.A.D.			
		όποβαλσαμόν				
<i>Conium maculatum</i> L.	Umbelliferae	κωνίον[ρ]	Nr. 174; Tebt.; II.c.A.D.	Juice	Amblyopia, psora of	
		κωνίον(υ)	Nr. 134; Oxy.; b.I.c.A.D.		eyelids	
<i>Convolvulus dorycnium</i> L.	Convolvulaceae	κορυκύλου του	Nr. 164; Tebt.; II.c.A.D.	Seim. (fr.)	-	
		φλοιού			Quartan fevers	
					Dermatol. plaster	

Latin name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
<i>Convolvulus oleifolius</i> L.	Convolvulaceae	βοουκνίου του φλοιού	Nr.164; Tebt.; III.c.A.D.	-	Dermatol. plaster and C. <i>hystrichium</i> , C. <i>scoparium</i> , C. <i>spinosus</i> Burm., C. <i>arvensis</i> L. (Germer R.)	
<i>Convolvulus scammonia</i> L.	Convolvulaceae	σκαμνίου φλοιού	Nr.150; -; II.c.A.D.	Juice (Eum f. of the root)	Ophthalm.	
<i>Cordia myxa</i> L.	Boraginaceae	φύλλου περοέας	Nr.131; Oxy.; II./III.c.A.D.	Fol.	Ear ache	<i>Cordia sinensis</i> L. Germer R.
<i>Coriandrum sativum</i> L.	Umbelliferae	κοκτανδρίου, κόρπου, ξηρόν σπέρματα κωρτού for κόρπου	Nr.42; Antin.; VI.c.A.D.; Nr.45; Antin.; VI.c.A.D.; Nr.96; -; III.c.A.D.	-	For veterin. use	
<i>Coronilla securidaca</i> L. (= <i>Securigera securidaca</i> (L.) Deg. et Daerfl. - <i>Bonaveria securidaca</i> (L.) Scop.)	Leguminosae	-	Nr.136; Oxy.; V.c.A.D.	Pl. & sem.	Purgative	
<i>Costus speciosus</i> Lam. or <i>Costus arabicus</i> L. (Till)	Compositae	-	Add.2/5; -; IV.c.A.D. Nr.136; Oxy.; V.c.A.D.	Rad.	- Purgative	
<i>Crithmum maritimum</i> L.	Umbelliferae	κρήθιου φλοιού	Nr.155; -; III./II.c.B.C.	Cort.	Purgative	

the Plants

<i>us sativus L.</i>	Iridaceae	κρόκου	Nr.7; -; IV./VI.c.A.D. Nr.9; Theb.; II./III.c.A.D.	Dr. stigma of the flo.
		κρόκου	Nr.13; Theb.; IV.c.A.D.	Astr., ophth., eyelid, inflamm.
		"	Nr.40; -; V.c.A.D.	collyre
		κρήκο(v)	Nr.43; Antin.; V.c.A.D.	-
		κρόκου	Nr.56; Antin.; IV.c.A.D.	-
		[κρό]κου	Nr.70; Arsin.; e.III.c.B.C.	-
		"	Nr.70; Arsin.; e.III.B.C.	-
		κρόκου	Nr.71; Herm.M.; e.III./b.IV.c.A.D.	-
		κρόκου	Nr.79; -; II.c.A.D.	-
		κτιλικέου	Nr.117; -V./VI.c.A.D.	-
		κρωκομάγιατο	Nr.120; -I./III.c.A.D.	-
		κρόκου	Nr.131; Oxy.; e.III./b.III.c.A.D.	-
		κρόκο(v)	Nr.134; Oxy.; b.I;c.A.D.	-
		κρόκου	Nr.148; -; III.c.A.D.	-
		κρ[δ]κου	Nr.150; -; II.c.A.D.	-
		"	Nr.155; -; III/II/c.A.D.	-
		"	Nr.170; -; II.c.A.D.	-
		"	Nr.170; -; II.c.A.D.	-
		"	Nr.170; -; II.c.A.D.	-
		"	Nr.172; Tebt.; e.II./b.III.c.A.D.	-
		"	Nr.174; Tebt.; II.c.A.D.	-
		"	Nr.194; -; VIII.c.A.D.	-
		"	Nr.170; -; II.c.A.D.	-
		"	Nr.172; Tebt.; e.II./b.III.c.A.D.	-
		"	Add.2/6; -; II.c.A.D.	-
		"	Add.2/2; -; II.c.A.D.	-
<i>cumis sativus L.</i>	Cucurbitaceae	συχῆτου τον φλοιὸν ξηρόν for στιχύου	Nr.134; Oxy.; b.I.c.A.D.	Cort.
<i>minum cyninum L.</i>	Umbelliferae			Nasal polyps.
		κυμιλιου	Nr.7; -; V./VI.c.A.D.	
		κύμιλιον	Nr.96; -; III.c.A.D.	
		κυμιλιου	Nr.134; Oxy.; b.I.c.A.D.	
		κυμίλιον	Nr.136; Oxy.; V.c.A.D.	
<i>upressus sempervirens L.</i>	Cupressaceae	μῆλα κυπαρίσσιου	Nr.136; Oxy.; VI.c.A.D.	Cones boiled.
		φλούδα	Nr.121; Oxy.; III.c.A.D.	Cort.
		κυπαρίσσου		-

Ser. (fr.)

Veterinary Prescr.

Nasal polyps.

Purgative

1. <i>Cymbopogon citratus</i> (DC.) Stapf (= <i>C. schoenanthus</i> L.)	Gramineae (Poaceae)	σχύλον ἀνθοῦς	Nr. 118; -; VI.c.A.D.	Flor. ess. oil fol.
2. <i>Cyperus sp.</i>	Cyperaceae	σχόλιον	for κυπέρεως κυπήρεως κυπήρεων κεναν μένηστροντελου κύπερον	Against podagra C. articulatusL. C. conglomeratusRot (GermerR.)
3. <i>Cyperus papyrus</i> L. ("Papyrus antiquorum")	Cyperaceae	κύπαρενεκάπτον	Nr. 118; -; VI.c.A.D. Nr. 154; -; III.c.A.D. Nr. 163; Oxy. ?; IV./V.A.D.	Against podagra C. schoenanthusL. Spreng. - (Andro- pogon schoenanthus L. - A. laniger) (GermerR.)
4. <i>Cyrtinus hypocistis</i> (L.) L.	Cyperaceae	—	Nr. 118; -; VI.c.A.D. Nr. 154; -; III.c.A.D. Nr. 163; Oxy. ?;	rough eyelids chronic lichens
5. <i>Daphne gnidium</i> L.	Rafflesiaceae	γόνοκυδαθείο[σ] γόνοκυδαθείος κόνκυδαθείο[σ] κόνκυδαθείο[σ]	Nr. 110; -; II.c.A.D. Nr. 172; Tebt.; e.II./b.III.A.D.	-
6. <i>Daucus carota</i> L.	Umbelliferae	σταφύλινου [σταφύλιας for σταφύλινου σταφυλίνου λευκού "σταφυλέτον for σταφυλίνου	Nr. 7; -; V./VI.c.A.D. Nr. 70; Arsin.; e.III.c.B.C. Nr. 94; H.b.; III.c.B.C. Nr. 94; H.b.; III.c.B.C. Nr. 52; Anti.; VI.c.A.D. Nr. 134; Oxy.; b.I.c.A.D.	Sem. (fr.) Cort. stem., Rad. Sem. (fr.) Kidney complaints
7. <i>Delphinium staphisagria</i> L.	Ranunculaceae	σταφύλιος αγρια σταφύλιον σταφύλια	Nr. 118; -; VI.c.A.D. Nr. 123; Oxy.; II.c.A.D. Nr. 150; -; II.c.A.D.	Pulp fresh wounds wounds Liver complaints, dropsy
8. <i>Diospyros mespiliformis</i> Hochst.	Ebenaceae		Nr. 45; Anti.; VI.c.A.D.	Linn. (ebony) -

Latin name of the Plants	Family	Greek name of the plants	No., Place, Date	Part used	Indication	Remarks
69. <i>Erica arborea</i> L.	Ericaceae	επίκηνς for επείκηνς μία καρπ(ού) for επείκηνς απίκηνς for επείκηνς έπικηνς καρπ(ού) for επείκηνς	Nr. 9; Theb.; II./III.c.A.D.			
70. <i>Eruca sativa</i> Mill.	Cruciferae	εύκηνον οπέρηα(τος) εύκηνον οπέρηα(τος) εύκηνον οπέρηα(ατος)	Nr. 10; Theb.; II./III.c.A.D. Nr. 13; Theb.; IV.c.A.D. Nr. 140; II./III.c.A.D.	Fr., sum.flor.	Inflammation of the eye	
71. <i>Euphorbia dimorphocaulon</i> P.H. Davis (= <i>E. apioidea</i> (non L.) A.K. Jackson et Turril)	Euphorbiaceae	κυλόν δέπτων for εύφορβου δέπτων	Nr. 107; Arsia.; e.III./II.c.B.C. Nr. 134; Oxy.; b.I.c.A.D. Nr. 164; Tebt.; III.c.A.D.	Sem.	Aphrodisiac	
72. <i>Euphorbia resinifera</i> Berg	Euphorbiaceae	εύοορπήσιο εύορπου εύερπου, εύφορβου,	Nr. 112; Aphro.; e.VI.c.A.D. Nr. 110; -; II.c.A.D. Add. 2/5; -; IV.c.A.D.	Juice	Leprosy	
73. <i>Ferula assa-foetida</i> Regel or <i>F. assa foetida</i> L.	Umbelliferae	-	Nr. 134; Oxy.; b.I.c.A.D.	Latex, sem.	Dermatol. complaints, lichens	
74. <i>Ferula galbeniflora</i> Boiss.	Umbelliferae	καλβάνης, καλβάνης καλβάνης καλβάνης καλβάνης	Nr. 88; -; III.c.A.D. Nr. 131; Oxy.; e.II.b.III.c.A.D. Nr. 185; m.II.c.A.D. Nr. 194; -; I.III.c.A.D. Add. 2/13; -; 2nd half VI.c.A.D.	Gum resin (Sulphur)	Against migraine	
75. <i>Ferula orientalis</i> L.	Umbelliferae	καμφονάνης	Nr. 172; Tebt.; e.II./b.III.c.A.D.	Emollient	Ophthalm. (cf. Till) <u>F. Gummosa</u> Boiss. (Germer R.)	
76. <i>Ferula tingitana</i> L.	Umbelliferae	καμφονάνης, κανού σιλφίου for σιλφίου	Nr. 134; Oxy.; b.I.c.A.D.	Gum resin (gum ammon.)	Gum resin produced also by Berberis cromnicum Don. (Paris R.)	Orbital Quartan fevers

Latin name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
<i>Citrus aurantium L.</i>	Citaceae	συκήνη	Nr. 146; -; II.c.A.D.	Fr., latex	-	and F. sycomorus (Germer R.)
<i>Oenothera biennis L.</i>	Oenotheraceae	μαράθονος	Nr. 40; Anti.; VI.c.A.D. Nr. 146; -; II.c.A.D.	-	-	
<i>Oenothera lamarckiana L.</i>	Oenotheraceae	μαράθονος	Nr. 149; -; III.c.A.D.	-	Purgative	
<i>Oenothera lamarckiana L.</i>	Oenotheraceae	μαράθονος	Nr. 155; -; III./II.c.B.C.	Fr.	Congest. stomach, uterus, lung Purgative	(Germer R.)
<i>Fumaria officinalis L.</i>	Fumariaceae	καπνός [vlow]	Nr. 150; -; II.c.A.D.	Pl. flo.	Ophthalmol.	
<i>Gentiana lutea L.</i>	Gentianaceae	γεντιανή	Nr. 45; Anti.; VI.c.A.D.	Rad.	G. luteal., G. asclepia. - deal.	
<i>Gentiana lutea L.</i>	Gentianaceae	-	Nr. 45; Anti.; VI.c.A.D.	Rad.	Antiseptic eyelids	
<i>Glycyrrhiza glabra L.</i>	Leguminosae	γλυκυρίζης	Nr. 48; Anti.; VI./VII.c.A.D.	Rad.	Antiseptic eyelids	
<i>Hedera helix L.</i>	Araliaceae	κισσός [fou]	Nr. 48; Anti.; VI./VII.c.A.D.	Rad.	Tonsillitis	
<i>Helleborus cyclophyllus Boiss.</i>	Ranunculaceae	Χλεβόπουλος μέλανος	Nr. 188; -; V./VI.c.A.D.	Lign. without cortex, fol.	Magic (tonsillitis head)	
<i>Helleborus niger L.</i>	Ranunculaceae	Χλεβόπουλος μέλανος	Nr. 134; Oxy.; b.I.c.A.D.	Rhiz.	Against "ozēnes" and quartan fevers	
<i>Hippuris vulgaris L.</i>	Hippuridaceae	πολυγόνου	Nr. 146; -; II.c.A.D.	Rhiz.	Against "ozēnes" According to Marrane, H.-H. H. cyclophyllus Boiss. is synonymous to H. niger L.	
					Astringent, refreshing	

Latin name of the Plants	Family	Greek name of the Plants	No., place, date			
<i>Hyoscyamus</i> sp.	Solanaceae	ύος/κυάνου χύλιχα, ύος/κυάνου υός/κυάνου κύλιχα, ύοκράνου στέπ/μα,	Nr. 70; Arsin.; e.III.c.B.C. Nr. 110; -; II.c.A.D. Nr. 134; Oxy.; b.I.c.A.D. Nr. 170; -; II.c.A.D.	Juice Fol., sem. Sem.	Against arête Soporific Ophthalm.	<i>H. muticulus</i> L. (GefmeRR.)
<i>Iris germanica</i> L. var. <i>florentina</i> Dukes (= <i>Iris albicans</i> Lange = <i>Iris florentina</i> aust. vixt L.)	Iridaceae	ίρεως, ίριν, ίρεος, ή ετρινού ετρινού ίρεως	Nr. 14; Theb.; IV.c.A.D.? Nr. 52; Anti.; VI.c.A.D. Nr. 70; Arsin.; e.III.c.B.C. Nr. 70; Arsin.; e.III.c.B.C. Nr. 121; Oxy.; e.III.c.A.D.; Nr. 134; Oxy.; b.I.c.A.D.	Rhiz. -	For the head -	<i>I. sibirinchium</i> L.
<i>Iris albicans</i> Lange	Iridaceae	ίρεως	Nr. 7; -; V./VI.c.A.D.	Rhiz.	Ointment	
<i>Iris pseudacorus</i> L.	Iridaceae	άκδρου	Nr. 134; Oxy.; b.I.c.A.D.	Rhiz.	Nasal polyps.	
<i>Juncus acutus</i> L.	Juncaceae	έξυρκοτνού	Nr. 134; Oxy.; b.I.c.A.D.	Rhiz.	Against kidney complaints	<i>Iris florentina</i> L. (cf. Till)
<i>Juncus maritimus</i> Lam.	Juncaceae	έξυρκοτνού	Nr. 110; -; II.c.A.D.	Rhiz.	Against liver complaints	
<i>Juglans</i> sp.	Juglandaceae	καρπόνυ πτυχρό(ν)	Nr. 134; Oxy.; b.I.c.A.D.	Fr. (bitter)	Congest. (oral)	<i>I. florentinalam.</i> (Germer R.)
<i>Juglans regia</i> L.	Juglandaceae	καρπόνυ πτυχρό(ν)	Nr. 136; Oxy.; V.c.A.D. Nr. 164; Tebt.; II.c.A.D.	Fr. Juice of fr. Fol.	Purgative Fissures	<i>J. regia</i> L. (Germer R.)

In name of the Plants		Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
<i>perus communis</i> L.		Cupressaceae	κερδόφ[ας, κερδόφ[τ	Nr. 99; -; VI.c.A.D.	Juice rad. Resin(Cedria)	Against toxic.	J. phoenix L. J. oxycedrus L. Gsp. macrocarpa
<i>perus excelsa</i> M. Bieb.		Cupressaceae	τήν νε/δρύ αν	Nr. 157; -; III.c.A.D.			Neilreich, Arceuthobdrupa (Germer R.)
<i>sativa sativa</i> L.		Compositae	θρόαντ, θρόακος φύλα, θρόακος οπέληρη	Nr. 46; Anti.; VI.c.A.D. Nr. 50; Anti.; VI.c.A.D. Nr. 52; Anti.; VI.c.A.D.	Fol. Sem.	veterinary medicine	Lactuca scariola L. (cf. Till)
<i>L. vulgaris</i> Ser.		Cucurbitaceae	στρώνια	Nr. 70; Arsin.; III.c.B.C.		-	
<i>coecia cuminoides</i> L.		Umbelliferae	έλαφροσοκον	Nr. 45; Antin.; VI.c.A.D.	Fr.	Alimentary Antiinflammatory For head	
<i>nobilis</i> L.		Lauraceae	δαφνέδας,	Nr. 94; Hibehe.; III.c.B.C. Nr. 94; Hibehe.; III.c.B.C.		Anti-oedematic ("ventouse") as instrument	
<i>Ervum lens</i> L.			δαφνόκοκκις,	Nr. 136; Oxy.; V.c.A.D.			C. legenaria L. =
<i>Lens esculenta</i> Moench			δαφνίδων	Nr. 138; Oxy.; V.c.A.D. Add. 2/5; -; IV.c.A.D.			Cucumis colocynthis L. =
<i>Vicia lens</i> (L.) Coss. et Germ.		Labiatae	στρογκάστην	Nr. 45; Anti.; VI.c.A.D.			(cf. Till.)
<i>avandula stoechas</i> L.			φανού	Nr. 113; Fayum ?; I.c.A.D.	Fr. Fol. Fr. Fr.	Wounds Wounds Purgative Purgative	
<i>ens culinaris</i> Medik.					Sum. flor.	-	
<i>Ervum lens</i> L.							
<i>Lens esculenta</i> Moench							
<i>Vicia lens</i> (L.) Coss. et Germ.							
<i>epidium sativum</i> L.		Cruciferæ	καρδιόδαμου,	Nr. 71; -; VI.c.A.D. Nr. 11; Theb.; IV.c.A.D.	Sem. Fresh pl.	Against int. graving pain, astringent Against larynx	also Fructaria Hippica Gattin. (cf. Till)
			καρδιόδαμου	Nr. 134; Oxy.; b.I.c.A.D.			

indicates

Latin name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
<i>Lilium candidum L.</i>	Liliaceae	σουτίψ, κρίνα κατάρηπα σουτίψ,	Nr.171;Oxy.;e.II./III.c.A.D. Nr.162;Herm.V.c.A.D. Nr.86;-;I.c.A.D.	Pl. flor.	Otalgic Antitussive, expect.	
<i>Linum usitatissimum L.</i>	Linaceae	λινοστέρημου	Nr.11;Theb.;IV.c.A.D.	Sem.	Growing pain intern.	
<i>Malva sylvestris L.</i>	Malvaceae	μ[α]χάνων	Nr.163;Oxy. ?;IV./V.c.A.D.	Fol., flor.	Aphonia	M.·ParvifloraL. (Germer R.)
<i>Marrubium creticum L.</i>	Labiatae	πράσιον	Nr.45;Anti.;VI.c.A.D.	" "	-	
<i>Marrubium vulgare L.</i>	Labiatae	πράσιον	Nr.45;Anti.;VI.c.A.D.	" "	-	
<i>Marrubium peregrinum L.</i>	Labiatae	-	-	-	-	
<i>Matricaria recutita L.</i> (= <i>M. chamomilla L.</i>)	Compositae	καματερήλαν	Nr.48;Anti.;VI./VII.c.A.D.	Cap. flor.		
<i>Melilotus sp.</i>	Leguminosae	μελιλαντία	Nr.131;Oxy.;e.II./b.III.A.D.	Tot. pl.	Tonsillitis, gargarism, cataplasma	
<i>Melissa officinalis L.</i>	Labiatae	μ[ε]λιλαντία φυλλού	Nr.153;-;III.-A.D.	Fol.	Melilotus officinalis L. (cf. T. II) at. M.·indica(L.)All. (Germer R.)	
<i>Mentha pulegium L.</i>	Labiatae	βλήγκρων, γλήκωνος	Nr.45;Anti.;VI.c.A.D. Nr.136;Oxy.;V.c.A.D.	Pl. flor.	Purgative	
<i>Mentha cervina L.</i>	Labiatae	πολύκυπρον	Nr.45;Antin.;VI.c.A.D.	Sum. flor., fol.	M.·piperitale. (Germer R.) and M.·albalu. (Germer R.)	
<i>Morus nigra L.</i>	Moraceae	ή δικέ μόρων, συκώμηνον	Nr.48;Anti.;VI./VII.c.A.D. Nr.150;-;II.c.A.D.	Juice of fruit	Tonsillitis Ophthalm., sopori.	

Latin name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
Nardostachys jatamansi DC.	Myrtaceae	μύρτου μύρτον σύρπυ[α]γ σινύρναν	Nr.49;Anti.;VI.c.A.D. Nr.110;-III.c.A.D. Nr.134;Oxy.;b.I.c.A.D.	ess. oil of fol.	-	
		for	Nr.155;-III./II.c.B.C. Nr.174;Tebt.;II.c.A.D.	oil	Against dropsy	
		μύρτου μύρτον μύρτον μύρτον	Nr.22;Fayum;I./A.D. Nr.71;Herm.M.;e.III./b.IV.c.A.D.	"	In traumatology	
		μύρτον	Nr.40;-V.c.A.D.		Cicatrisant	
		ναρδοστάκιον νάρτου	Nr.42;Anti.;VI.c.A.D. Nr.71;Herm.M.;e.III./b.IV.A:D. Nr.118;-;Vic.A.D.		Against loss of hair	Valeriana or Patrinia Intamani Jones bzu.
		ναρδοστάκιον νάρδου	Nr.134;Oxy.;b.I.c.A.D. Nr.134;Oxy.;b.I.c.A.D.		Against podagra	Patrinia scabiosefolia Fisch (syrian Nard) (cf. Till)
		νάρδου ήλιος	Nr.148;-III.c.A.D.		Against liver compl.	
		ναρδοστάκιον νάρδου	Nr.40;-V.c.A.D.		Against liver compl.	
		νάρδου	Nr.70;Arsin.;e;III.c.B.C.		Astringent	
		"	Nr.70;Arsin.;e;III.c.B.C.			
		"	Nr.70;Arsin.;e;III.c.B.C.			
		νάρδος	Nr.121;Oxy.;III.c.A.D.			
		κελτική	Nr.120;:-I.-III.c.B.C.			
		νάρδον	Add.2/6;:-II.c.A.D.			
		νάρδου	-			
			-			
Nelumbo sp. (= Nelumbium sp.)	Nelumbonaceae	κυάνη[μήδους Α[ταχτή]γυμνής κετούς	Nr.122;:-II.c.A.D. Nr.150;:-II.c.A.D.		N.nucifera Gaertn.	
					Stomatologic.	
Nelumbo nucifera Gaertner (= Nelumbium speciosum Willd.)	Nelumbonaceae	κολοκοστωτ Ατρύπ(τόνον) κύανην	Nr.91;:-I.c.A.D. Nr.122;:-II.c.A.D. Nr.134;Oxy.;b.I.c.A.D. Nr.150;:-II.c.A.D.	Magic Quartan fevers Stomatol. tooth paste		
2. Nipella sativa L.	Ranunculaceae	μελανθέλου	Nr.134;Oxy.;b.I.c.A.D.	Sem.	Topic, against leprosy	

in name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
phaea lotus L.	Nymphaeaceae	λοτού	Nr. 122; -; II.c.A.D.	Flor.	-	lotus = fruit and flowers of N. lotus L. and also flowers of Zizyphus spina-Christi (L.) Willd. and Z. lotus (L.) Lam. (cf. Till)
nphaea nelumbo tour. Nelumbium speciosum Willd.)	Nymphaeaceae	κολοναστῶι Αἴγυπτοι κύδιον	Nr. 122; -; II.c.A.D. Nr. 134; Oxy.; b.I.c.A.D. Nr. 180; -; II.c.A.D.	Flor.	-	= <u>Nelumbo nucifera</u> (Germer R.) and <u>N. coerulea</u> Sav. (Germer R.)
O. basilicum L. var. pilosum (Willd.) Benth.)	-	-	Nr. 150; -; II.c.A.D.	Quartan fevers	Stomatol. use, tooth paste	
lea europaea L.	Labiatae	σπέρμα αγριου Σερβί ^ς τορ δικτυου ξηράν	Nr. 136; Oxy.; V.c.A.D.	Sem. Sum. flor.	O. basilicum. (Germer R.)	
as oil in many prescriptions as base						
έλατοι/fov έλατοι " " " "	Nr. 70; Arain.; e; III.c.B.C. Nr. 127; -; last 1/3 II.c.A.D. Nr. 127; -; last 1/3 II.c.A.D. Nr. 127; -; last 1/3 II.c.A.D.	oil	Ointment for the head "period" Head	and O. africana Miller (Germer R.)		
έλεον, έλατοι, for έλαιον, έλατος έλατοι παλατού	Nr. 146; -; II.c.A.D. Nr. 150; -; II.c.A.D.	old oil	Emollient Solvent, ophthalm.	Religious (ophthalm.)		
έλατοι έλεω for έλατοι	Nr. 153; -; III.c.A.D. Nr. 163; Oxy. 7; IV./V.A.D.	oil	Luxation of shoulder Sore throat, aphonia			
έλατοι δημαρκίου	Nr. 164; Tebt.; II.c.A.D. " " " " Nr. 164; Tebt.; II.c.A.D. Nr. 164; Tebt.; II.c.A.D. Nr. 164; Tebt.; II.c.A.D.	oil	Psora & eczema			
έλατοι	Nr. 187; acquired in Fayum; I.c.b.A.D. Nr. 188; -; V./VI.c.A.D.	Oil	Tonsillitis Tonsillitis Mague (lungs)			

in name of the Plants	Family	Greek name of the plants	No.; Place, Date	Part used	Indication	Remarks
<i>Opopanax echiooides</i> L.	Boraginaceae	οβόλωνα	Nr. 20; Fayum; II.c.A.D.	Rad.	-	
<i>Opopanax</i> sp.	Umbelliferae	ορνάνωνας	Nr. 88; -; III.c.A.D.	Emollient	<i>Ferula opopanax</i> Spec.	
		τάνακες	Nr. 94; Hibeh; III.c.A.D.	Wounds	<i>Opopanax Chironium</i>	
		πάνακους	Nr. 134; Oxy.; b.I.c.A.D.	Against liver complaints	<i>Echinophora tenuifolia</i> L. and <i>Hypericum olympicum</i> (cf. Till)	
<i>Opopanax</i> sp.	Orchidaceae	οπανίδης	Nr. 185; -; II.c.A.D.	Juice		
		πάνη/χούς διόδη	No. 70; Arsin.; e.III.c.B.C.	Emollient		
		πάνη/χούς διόδη	Add. 2/13; -; 2nd half V.c.A.D.			
<i>Opopanax</i> sp.	Labiatae	οπάνης	Nr. 172; Febt.; e.II./e.III.c.A.D.	Tuber.		
		οργάνου	Nr. 112; Aphrodis.; IV.c.A.D.	Sum. flor.	Ophthalmologic. (eyelids)	
		δρ]ιγανοί	Nr. 176; Febt.; II.c.A.D.	Fol.	Against migraine	
<i>Majorana</i> L.	Labiatae	σαρδούνιον for σαρδούνιον	Nr. 118; -; VI.c.A.D.	Against podagra	<i>O. dictamnus</i> L.	
<i>Majorana</i> L.		σαρδούνιον for σαρδούνιον	Add. 2/5; -; IV.c.A.D.	-	<i>Origanum dictamnus</i> = <i>Amaraucus dictamus</i> (L.) Benth. (stem. flor.)	
<i>Majorana</i> L.		σαρδούνιον for σαρδούνιον	Nr. 121; Oxy.; III.c.A.D.	-		
<i>Majorana</i> L.		σαρδούνιον for σαρδούνιον	Nr. 70; Arsin.; e.III.c.B.C.	Sum. flor.	<i>O. majorana</i> (L.) Moench	
<i>Majorana</i> L.		σαρδούνιον for σαρδούνιον	No. 45; Antin.; VI.c.A.D.	-	<i>O. majoranal.</i> (Germer) R.	
<i>O. heracleoticum</i> aust.)	Labiatae	[δρ]ιγανού πρακέω/τρυχ]	Nr. 70; Arsin.; e.III.c.B.C.	Sum. flor.		
<i>Aeonia</i> L.	Ranunculaceae	καλούμενη παραγέα παρανή αρρενή γλυκυκαρση	Nr. 54; Anti.; VI.c.A.D.	Herb., fol.	-	P. officinalis L.
			Nr. 54; Anti.; VI.c.A.D.			

the Plants

Papaver somniferum L.	Papaveraceae	όπου οντο[ν] for οντου μη/κωντου	Nr.13;Theb.;IV.c.A.D. Nr.70;Arisin.;e.III.c.B.C. Nr.149;--;III.c.A.D.	Opium = dried latex	As opium in collyrium For the eyelids and "P.rhoëasi".
μήκωνος όπιου		όπιον όπιου	Nr.170;--;II.c.A.D. Nr.10;Theb.;II./III.c.A.D. Nr.16;Theb.;IV;c?A.D.	"	Otalgia Congestion: stomach, uterus, lung
μήκων		όπιον όπιου	Nr.70;Arisin.;e.III.c.B.C. Nr.70;Arisin.;e.III.c.B.C.	"	Ophthalmologic Collyre (leuchoma, staphyloma) Against pain, inflamm
όπιον		όπιον όπιου	Nr.71;Herm.M.;e.III./b.IV.ε.A.D. Nr.88;--;III.c.A.D.	Plant Latex	Collyre "achariston" emollient Against "streté of Dionysos"
όπιον		όπιον όπιου	Nr.88;--;III.c.A.D. Nr.117;--;V./VI.c.A.D. Nr.134;Oxy.;b.I.c.A.D.	"	Collyre Against congestions, ulcerations
όπιον		όπιον όπιου	Nr.134;Oxy.;b.I.c.A.D. Nr.134;Oxy.;b.I.c.A.D.	"	Quartan fevers Soporific
μήκωνος		μήκωρω όπιου	Nr.140;--;II./III.c.A.D. Nr.154;Tebt.;II.c.A.D. Nr.164;Tebt.;II.c.A.D. Nr.164;Tebt.;III.c.A.D.	Latex	Congest., ulcerat. wounds, blood oedema Collyre for child. Psora "
μήκωνος		μήκωρω όπιου	Nr.170;--;II.c.A.D. Nr.170;--;II.c.A.D. Nr.170;--;II.c.A.D. Nr.170;--;II.c.A.D. Nr.170;--;II.c.A.D. Nr.172;Tebt.;e.II./b.e.III.A.D.	Plant Juice Latex	Ophthalmologic "Ophthalmologic
Papaver somniferum L. var. album D.C.	Papaveraceae	λευκόν μήκωνος for μήκωνος	Nr.149;--;III.c.A.D.	Plant	Congest., stomach, uterus, lung
Pastinaca sativa L.	Umbelliferae	σταρανον	Nr.45;Antin.;VI.c.A.D.	Rad.	Alimentary
Pastinaca sativa L. (cf. Diocorides)	Umbelliferae	σταρανον	Nr.45;Antin.;VI.c.A.D.	Rad.	-

Latin name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
<i>Croceinum crispum</i> (Miller) A.W. Hill P. hortense Hoffm.)	Umbelliferae	μετρόποδες [σ]ελινού	Nr. 7; -; V. / VI. c.A.D. Nr. 134; Oxy. b.I.c.A.D.	Sem.	Kidney complaint Against dyspepsy	<i>Apium petroselinum</i> (cf. Tili)
<i>Oenanthes acetylifera</i> L.	Palmae	φοινικά	Nr. 42; Anti.; VI.c.A.D.	Sem., Rad.	P. hortense Hoffm. = P. sativumilloffm. = <i>Apium petroselinum</i> . (GermerR.)	
<i>Anisum</i> L.	Umbelliferae	ἀνησκόν ἄνησκον ἀνήσκον σπέρματα (σο)	Nr. 91; -I.c.A.D. Nr. 134; Oxy.; b.I.c.A.D. Nr. 149; -; III.c.A.D. Nr. 155; -; III./II.c.B.C.	Sem. (fr.) Sem. " " " "	Magic ? or Medical ? Soporific Congest.: stomach, uterus, lung Gynaecology use	<i>Apium petroselinum</i> (cf. Tili)
<i>Pinaceae</i> (Abiéaceae)	[πε]ύκης πύκη/εύκην	Nr. 131; Oxy.; e.II./b.III.c.A.D. Nr. 146; -II.c.A.D.	Tot. pl. Resin	Otalgia Emollient, antiflamm. Cicatrisant	Resin Nr. 154 (= no. manuscr.) Nr. 146 x 3	
	πευκίνης	Nr. 22; Fagum; I./A.D.	"	Cicatrisant	Nr. 172	
	στροβιλίνης	Nr. 92; -I./II.c.A.D.	"	Aphrodisiac	Nr. 182	
	τερπελίνης	Nr. 107; -III.c.A.D. Nr. 121; Oxy.; III.c.A.D. Nr. 182; Iobt.; e.b.II.c.A.D.	Cones Turpentin	P. halensis Mill. (GermerR.)	Nr. 115	
	τερπελίνης	Nr. 182; Iobt.; e.b.II.c.A.D.	"			

THE PLANTS

<i>Piper nigrum</i> L.	Piperaceae	πενέρεψ πιβέ[ο]ψ πινέρεψ	for for for	Nr. 70; Arsin.; e; II.c.A.D. Nr. 117; -; V.; VI.c.A.D.	Collyrium Purgative Collyrium, astrine. (GermerR.)	and P. capense El. and Thon.
<i>Peneope</i> for <i>nenepeos</i>		πενέρεψ πενέρεψ	-	Nr. 136; Oxy.; V.c.A.D. Nr. 140; -; II.; III.c.A.D.		
<i>nenepeos</i>		πενέρεψ	-	Nr. 150; -; III.c.A.D.		
<i>πε for nenept</i>		π]ιπέ/[ρεψ	-	Nr. 150; -; II.c.A.D. Nr. 151; -; II.c.A.D.	Soporific Stomatal. use	
<i>nenept</i>		"	-	Nr. 151; -; II.c.A.D. Nr. 163; Oxy.; IV.; V.c.A.D. Nr. 164; Tebt.; II.c.A.D.	Ophthalmolog. Aphonia Dermatol. for eyelids affected by psora amblyopia Ophthalmol.	"
<i>Pistacia lentiscus</i> L.	Anacardiaceae	πιπέρη] εψις λευκ αβρεψ τοτ	λευκού	Nr. 164; Tebt.; II.c.A.D. Nr. 170; -; II.c.A.D.	Fr.	
		"	-	Nr. 170; -; II.c.A.D.		
		"	-	Nr. 170; -; II.c.A.D.	"	
		"	-	Nr. 170; -; II.c.A.D.	"	
		πεπέρεψ	-	Nr. 172; Tebt.; e; II.; b; III.c.A.D. Add. 2/5; -; IV.c.A.D. Add. 2/13; -; 2nd half V.c.A.D.	Ophthalmol. Emollient	
		πιπέρεψ πεπήρηψ for πεπέρεψ	-	Nr. 70; Arsin.; e; III.c.A.D. ?"	Ophthalmol. Emollient	
<i>Pistacia terebinthus</i> L.	Anacardiaceae	π[επέ]ρη] / πιος στρογγύλ[ο]υ κ[όμκουε τρέψ	-	Nr. 42; Anti.; VI.c.A.D. Nr. 45; Anti.; VI.c.A.D. Nr. 47; Anti.; VI.c.A.D. Nr. 136; Oxy.; V.c.A.D. Nr. 146; -; II.c.A.D. Nr. 164; Tebt.; II.c.A.D. Nr. 118; -; VI.c.A.D.	Juice Mastic (resin) Plant (resin) " Mastic Against podagra	Abdominal comp. ext. Calmative Purgative Emollient, antiinflammatory Dermato. (plaster)
<i>Pyxanthus chironius</i> (Lycium)	Solanaceae	όγητίνης/ τερεβήλινος τερεβήλινος τερεβήλινος	Nr. 146; -; II.c.A.D. Nr. 182; Tebt.; e.b; II.c.A.D. Nr. 185; -; II.c.A.D.	Oil-resin (turpentine)	Juice	"Theodotos" remedy Lycium (rumi).

in name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
<i>Tanus orientalis L.</i>	Platanaceae	πλατανός	Nr.157; -; II.c.A.D.	"Duvets" of fol.	Damages eye + ear	
<i>Pyronum aviculare L.</i>	Polygonaceae	πολυγόνου	Nr.146; -; II.c.A.D.	tot. pl.	Astringent, refreshing	<i>and P. senegalense Miers.</i>
<i>Amygdalus Stokesii</i> var. <i>amara</i> D.C. et var. <i>dulcis</i> D.C.	Rosaceae	άμυγκτ[α] / λα πυκά for αμυγδαλα άμυγδαλα άμυγδαλα τέλευτη	Nr.163; Oxy. ?; IV./V.A.D.	Almond	Sore throat, aphonia	<i>P. salicifolium</i> <i>Broussawilld.</i>
<i>Amygdalus communis L.</i> var. <i>amara</i> D.C. et var. <i>dulcis</i> D.C.)	Rosaceae	πούρας γλυκελας (doux) όσελας (acidic) κόκκινων ροά[ς] όξελας κόκκινος	Nr.49; Anti.; VII.c.A.D. Nr.155; -; III/II.c.B.C.	" (oil)	Against cough after suffocation	<i>(Amygdalus communis Mill.)</i> <i>(Amygdalus communis Mill.)</i>
<i>Malica granatum L.</i>	Punicaceae	ποών κυτίνους μεμυκό/τας χλυκελας	Nr.131; e.II./b.III.A.D.	Closed fl.	Otalgia	<i>(Germer R.)</i>
<i>Quercus lusitanica Lamk.</i> var. <i>infectoria</i> Olivier	Rosaceae	άκα[η] for άκραδος	Nr.146; -; II.c.A.D.	Fresh juice	Astringent, refreshing	<i>Prunus dulcis (Mill.)</i> <i>D. A. Webb.</i>
	Fagaceae	κηρύδος	Nr.155; -; III./II.B.C.	Bark leave	Cataplasma	
		κηρύδος	Add.2/2; -; II.c.A.D.	Seed. (juice)	Contraception, menstruation	
		κηρύδος	Nr.149; -; III.c.A.D.	Seed.	For the head	
		κηρύδος	Nr.14; Theb.; IV.c.A.D.?			
			Nr.185; -; II.c.A.D.			
<i>Raphanus sativus L.</i>	Cruciferae	ράφα[ν]είδων	Nr.123; Oxy.; II.c.A.D.	Fr.	Dermatologic, and <i>Pyrus communis L.</i>	<i>(Germer R.)</i>
<i>Ricinus communis L.</i>	Euphorbiaceae	-		Emetic	and <i>Raphanus sativus L.</i>	<i>(Germer R.)</i>
				Oil		
				Sem.		

Rosa sp.		Rosaceae	ρόδι/[νον " "	Nr.131;Oxy.;e.II.b.III.c.A.D. Nr.131;Oxy.;e.II.b.III.c.A.D.	Oil of Rose Flor.	Otalgia (-R. sancta Rich.) (GermerR.)
Rhus coriaria L.		Anacardiaceae	ρόδι/[νον ρού	Nr.100;Kar.;II./III.c.A.D. Nr.70;Arsin.;e.III.c.B.C.	Cerat with. Fol.	Ceratol. "arete of Dionysos" Collyre
Ruta chalepensis L. (= R. graveolens (L.)		Rutaceae	έρυσ[ροδί/ρού	Nr.71;V./VI.c.A.D. Nr.79;--III.c.A.D.	Frt. Fol.	Against kidney complaints Stomatologic use
Ruta montana (L.) L.		Rotaceae	πηγάνου πηγάνου ήμερ[cu πηγάνου	Nr.42;Anti.;VI.c.A.D. Nr.70;Aisin.;e.III.c.B.C.	Fresh pl.flor.	Peganum harmala L. = Ophthalm.(eyelids) (cf. Till)
Saussurea lappa Clarke		Compositae	πηγάνου άργιτον άργιτον πηγάνου	Nr.172;Tebt.;e.II./b.III.c.A.D. Nr.121;Oxy.;III.c.A.D.	Sem.	-
Salix alba L.		Salicaceae	-	-	-	-
Saponaria officinalis L.		Caryophyllaceae	στρουθίων for στρουθίων	Nr.134;Oxy.;b.I.c.A.D. Nr.136;Oxy.;V.c.A.D.	Cort. Underground parts	S. subserratawilld (-S.safsaafbel.) (GermerR.)
Scopolendrium officinale Sm. (= Asplenium scolopendrium L.)		Aspleniaceae	κόστου κόστου	Add.2/5;--IV.c.A.D. Nr.136;Oxy.;V.c.A.D.	Rad.	Purgative Saussuren dicolor (Willd.) PC. - S. lapathifolia (L.) Karsten
Sesamum indicum L.		Pedaliaceae	[σησά]νου	Nr.45;Anti.;VI.c.A.D.	Fol.	- Anticonvulsive Sem. Oil.

Family	NAME of the Plants	No. place, date	NAME of the Plants	No. place, date
Umbelliferae	οδούκου;	Nr. 134; Oxy.; b. I.c.A.D.	-	Against liver complaints
Cruciferae	στύραξ (ως) στύραξ	Nr. 174; Oxy.; b. I.c.A.D. Nr. 164; Tebt.; II.c.A.D.	Sem.	Topic, leprosy Dermatol. against lichen
Labiatae	στάκυς	Nr. 164; Tebt.; II.c.A.D.	Alopecia	S. allionii Jacc. (Germar R.)
Styracaceae	στύραξ στύραξ	Nr. 45; Anti.; VI.c.A.D.	Sum. flor.	Stachys officinalis Trevs.
Boraginaceae	σύμφυτον	Nr. 30; Anti.; IV.c.A.D.	Balsam = storax (oleo-resin)	Expect., antitus. and S. benzoin
Cruciferae	έπυρινον έπυρινον	Nr. 110; -; VI.c.A.D. Nr. 50; Anti.; VI.c.A.D.	Tot. pl. Sem.	Mustard = Brassica nigra and Sinapis arvensis
Myrtaceae	καρυοφύλλον καρυοφύλλα	Nr. 118; -; VI.c.A.D. Nr. 162; Herm. M.; VI.c.A.D. Nr. 36; -; IV./V. A.D.	Flor. bud	Dysentery, suppurt. Anticongestive
Labiatae	καρετρυός	Nr. 7; -; V./VI.c.A.D.	Sum. fl.	Cicatrisant, wound healing
Thalictrum flavum L. (var. Argenteum)	-	Nr. 172; Tebt.; e; II./b.III.c.A.D.	Rhiz.	Podagra Expect., antitus.
Thymus sp.	σούμιον	Nr. 164; Tebt.; II.c.A.D.	Flor. stem.	Ophthalmologic.
Labiatae	-		Dermatol. lichen	Thymus vulgaris (cf. Tili)
Tiliaceae	πιλύραν	Nr. 5; -; I./II.c.A.D.	T. capitatus Hoffm. CULINK.	Tilia tomentosa Moench
				Tilia platyphyllos Scop.
				Tiliurea lati- folia L. (Olacace)
				T. europaea

Latin name or vernacular name	Common name	Order name or the plants	Part used	Part used	Part used	Part used	Remarks
<i>Trachyspermum copticum</i> (L.) Link (" non Ammi copticum L. but <i>Carum copticum</i> (L.) Benth. et Hook.)		Umbelliferae ἄμυντος	Nr.121;Oxy.;III.c.A.D. Nr.135;Oxy.;b.I.c.A.D. Nr.149;—;III.c.A.D.	Fr.	—	T. ammi (L.)	Sprague = <i>(Carumcopticum</i> (L.) Benthet Hook = Amnicop- cumb. =
<i>Trigonella foenum-graecum</i> L.		Leguminosae τριγλα	Nr.143;Anti.;VII.c.A.D.	—	—	Ptychotiscop = <i>LicusDC.</i> = <i>P. ajowanDC.</i> (GermerR.)	
<i>Triticum sp.</i>		Gramineae (Poaceae)	Nr.48;Anti.;VI./VII.c.A.D. Nr.164;Tebt.;II.c.A.D.	Bread, azyme Flor, flour	Cataplasm, tonsil. Dermato. (lichen)	<i>Triticum dicoccum</i> L. and <i>T. aestivum</i> L. (= <i>T. sativum</i> Lam.)	
<i>Veratrum album</i> L.		Liliaceae έλλεβρου	Nr.118;—;VI.c.A.D.	Rhiz.	Against podagra	<i>Triticum dicoccum</i> L. and <i>T. aestivum</i> L. (= <i>T. sativum</i> Lam.)	
		λευκού	Nr.134;Oxy.;b.I.c.A.D.		Sternutator	<i>farrine = ἄλευρον</i>	
		έλλεβρου	Nr.164;Tebt.;II.c.A.D.	Derm. leprosy, lichen, psora	No.170 manuscript		
		λευκού	Nr.183;Tebt.;e.I./b.II.A.D.	Purgative and abortive	<i>έδοιλε = ἀμύλανον</i>		
		έλλεβρος ()	Nr.185;—;half II.c.A.D.	No indication	Nr.110		
<i>Vicia ervilia</i> (L.) Willd.		Leguminosae [ό]ρθω	Nr.131;Oxy.;e.II./b.III.c.A.D.	—	Otalgia		
<i>Vicia faba</i> L.		Leguminosae σπέρμα[σ]ι	Nr.8;—;b.I.c.B.C.	—	Febrifuge, egyptian eye disease	<i>Vigna unguiculata</i> (L.) Walpers (= <i>V. sinensis</i> (L.) Savi ex Hassk.) (Leguminosae)	
<i>Viola odorata</i> L.		Violaceae σκευαστα	Nr.42;Anti.;VI.c.A.D.	Wine	—		

Inventory No. _____ Date _____

Page No. _____

Section _____ Remarks _____

Latin name of the Plants	Family	Greek name of the Plants	No., Place, Date	Part used	Indication	Remarks
<i>Vitis agnus-castus</i> L.						
<i>Verbenaceae</i>						
		ἀγνου σπέρματος	Nr. 70; Arsin.; e.III.c.B.C.	Sem.	-	
<i>Vitaceae</i>						
		φύλλον άμι/[πέλτινον οῖνῳ λευκόν	Nr. 43; Antin.; v.c.A.D. Nr. 70; Arsin.; e.III.c.B.C.	Fol. White wine	As basis for many prescriptions Ophthalmic	<i>Vitis sylvestris</i> Gmel. = <i>Vitis vinifera</i> L. ssp. <i>sylvestris</i> (Gmel.)
		διμφακέου ξηρά	Nr. 70; Arsin.; e.III.c.B.C.	Green grapes	Ointment for head	<u>Berber</u>
		οἶνω όζος οἶνος οἴνῳ οἶνον διμφακέου	Nr. 107; -; III.c.A.D. Nr. 153; -; III.c.A.D. Nr. 155; -; III/II.c.B.C. Nr. 162; Herm.M.; V.c.A.D. Nr. 172; Tebt.; e.II./b.III.c.A.D. Nr. 170; -; II.c.A.D. Nr. 164; Tebt.; II.c.A.D. Nr. 149; -; III.c.A.D.	Wine Vinegar, wine Wine Juice of green Grapes Egypt. wine, vinegar Hendes wine (mendision)	Aphrodisiac luxation(shoulder) Purgative Expect., antitus. Ophthalmologic and fruit = dried fruit = wine = (c.f. Till)	<i>Vitis vinifera</i> L. = <i>Gmel.</i> = <i>Vitis vinifera</i> L. ssp. <i>sylvestris</i> (Gmel.)
<i>Zingiber officinale</i> Roscoe			Nr. 136; Oxy.; V.c.A.D.			
		Αρκαδίας γέτον	Nr. 22; Feyum; I.c.A.D.			
			Nr. 42; Antin.; VI.c.A.D.			
			Nr. 150; -; II.c.A.D.			
			Nr. 163; Oxy.; IV./V.c.A.D.			
			Nr. 163; Oxy.; IV./V.c.A.D.			
<i>Zingiberaceae</i>		βλυγρού πεος φορτυγιβέπεος	Nr. 7; -; V./VI.c.A.D.	Rhiz.	Kidney complaints	
<i>Labiatae</i>		πολύκυνθος	Nr. 45; Anti.; VI.c.A.D.	-	-	
<i>Ziziphora capitata</i> L.						

Greek names

1

akakiyas

2

kommes

3

kommes

4

Polithrikon

ke adianton

5

anchousis

6

chromion

7

prason

chilon

8

skordhon

9

alois

10

pyrethron

11

voghlossen

or

boughlossen

13

phalaggion

14

phalangion

15

selinon

16
aristolocmeias
spermatos

17
aristolocmeias
clematitis

18
raphai eiadhon

19
apsintion

20
asclepiadhin

21
asphodelon

22
adianton

23
tragakantis

24
dafkon

25
psevdodictamon

26
phivanousa

27
livanon
flion

28
cramvis
spermatos

29
ambelon
lefkis

30
vosotidos

31
seseleos
aidiopikon

32
arction

Greek names

33
kentavrion

34
kentavrion
to micron

35
keratia

36
kondrili

37
malabatron
and
malabatrinon

38
kinnamom
or
kinnamomon
kasian
kinnamomon

39
kisson

40
ladanon

41
ladanon

42
kitra

43
akantalevki

44
madakon

45
smirnon
or
smirnis

46
opobalsamon

47
konion

112

Greek names

48
dorichnion
tou
phlion

49
dorichnion
tou
phlion

50
scamoneas
votanis

51
phillon
perseas

52

54

55
critmon

56
crocon

57
siconon

58
kiminon

59
mila
kiparisson

60
skinon
antous

61
kipereos
or
kipiron

62
kharton
63----

64
ipokistos

65
kokkous
gnidion

Greek names

66
staphilinon
daukon

67
staphidos
aghrias

68

69
erikis
karpon

70
evsomon
spermatos

71
evphorbion
apion

72
euphorbion

73

74
galbanis

75
ammoniakis

76
ammoniakis
or
silphion

77
sikis

78
marathon
karpon

79
kapnion
80
yentiani

81

Greek names

82
ghlikirizis

83

84
kisson

85
ellebori
melani

86
elleb
melas

87
polygonon

88
hyoskiamon
sperm

89
iris
or
ireos
irinon

90

91
ireos

92
akoron

93
xiskinon

94
xiskinon

95
karyon
picron

96
karyon

97
kedrias
or
kedri

Greek names

- 98
tin
kedrian
- 99
dridaki
- 100
sikna
sikia
- 101
elaphoboskon
- 102 10
daphnidhas
daphnokokka
daphnidhon
- 103
stikasin
- 104
phakon
- 105
kardhamon
- 106
sousino
krina
- 107
linospermon
- 108
malakon
- 109
prasion
- 110
prasion
- 111
-
- 112
khamaimilon
- 113
melilotia

Greek names

114

melli

phyllon

115

vlikon

glykonos

116

polykinmon

117

i diamoron

or

sikaminon

118

myrton

myrsinos

myrsinon

119

nardostakis

nardostakon

nardon

120

kiamon

aiyiption

121

kolokasion

aiyiption

kyamon

122

melandion

123

loton

124

kolokasion

aiyiption

125

sperma

ayinon

xeron

126

elaion

eleos

elaiias

elaiyon

127
onosma

128
opopanax
panakes
panakon
omon

129
sarapiados

130
orighano

131
samsikon
sampsikos

132
orighanon
irakieotikon

133
paionia
arren
i
glikisidi
kalimen
pasidea

134
opion
mykonion

135
lefkon
mykonos

136
sisamon

137
sisamon

138
petroselinon
oreoselinon

139
phoenix

140
anisson
sperma

141
pefkis
ritinin

142
pepereos
peperi
stronghilon
kokkous

143
schinon
mastichi

144
ritinis
terevintinis
termintinis

145
lykion

146
platanos

147
polyghonon

148
tis lefkis

149
amyghdala picra

150
rowi
kokkon rowa

151
aklados

152
kikidos

153
raphanidon

154

155
rodinon
rodon anthous
rodhon phyllon

- 156
roui
- 157
pighanon
imeron pighanon
- 158
pighanon aghrion
- 159
-
- 160
strouthion
- 161
koston
- 162
phillitis
- 163
sisamon
- 164
davkon
- 165
sinapeos
- 166
stachys
- 167
styraka
styrakos
- 168
- symphiton
- 169
erisimon
- 170
karyophillon
karyophilla
- 171
chamedrios
- 172
-
- 173
timon

Greek names

174
philiran

175
vasilikī

ami

176
tilin

177

178
elleboron lefkon

179
orobo

180
kiamon sperma

181
skenasia
iaton

182
āghnon
spermatos

183
phyllona
ambelinon
oinon
lefki

184
siyimbereos

185
polikinmon

H.-J. Arnold, N. Arnold, P. Ghalioungui

ABBREVIATIONS

Cort.	= bark
gum (adrag.)	= tragacant
gum o.r.	= oleo-resin
gum r.	= resin
flor.	= flowers
fol.	= leaves
fr.	= fruits
fr.-incense	= frankincense
lign.	= wood
pl.	= plant
tot. pl.	= whole plant
rad.	= root
rhiz.	= rhizoma
sem.	= seeds
sum. flor.	= flowering summit

Abbreviations of localities

Anti	= Antinopolis
Aphr.	= Aphrodito
Arsin.	= Arsinoe
Fayum	= Fayum
Herm. M.	= Hermopolis Magna
Hibeh	= Hibeh
kar.	= Karam
Oxy.	= Oxyrhynchos
Tebt.	= Tebtunis
Theb	= Thebes

BIBLIOGRAPHIE

- Arnold, H.-J. and Gulumian, M. (1984),
Pharmacopoeia of Traditional Medicine in Venda,
Journal of Ethnopharmacology (1984), 12 (35-75)
Elsevier Scientific Publishers Ireland Ltd.
- Arnold, H.-J. et Arnold, N. (1984),
L'utilisation du Sahlep en Syrie aujourd'hui, pp. 143-154.
8ème Colloque de la Société Française d'Orchidophilie,
Paris VII, France.
- Arnold, N. (1985)
Contribution à la Connaissance Ethnobotanique et Médicinale
de la Flore de Chypre,
5 volumes, Thèse de Doctorat d'Etat en Pharmacie,
Université René Descartes de Paris.
- Darby, W.J., Ghalioungui, P. & Grivetti, L. (1977),
Food: The gift of Osiris, Vol. 2,
Academic Press: London, New York, San Francisco.
- Daumas, F. (1979),
Remarques sur l'absinthe et le gattilier dans l'Egypte antique,
Ägypten und altes Testament Bamberg, Vol. I,
Festschrift Edel, P. 66.
- Davis, P.H. (1965-1978).
Flora of Turkey, 6 Volumes,
Edinburgh, University Press, Great Britain,

Deines v., H. & Grapow, H. (1959),
Wörterbuch der Drogennamen,
Vol. VI of "Grundriss der Medizin der Alten Ägypter,"
Berlin: Akademie-Verlag.

Dioscorides (1968),
The Greek herbal of Dioscorides,
edited by Gunther R.
(fascimile of 1934 edition),
(1-91) & (1-128); k Hafner Publishing Co.
London & New York.

Ducros, M.A.H. (1930),
Essai sur le droguier populaire arabe de l'Inspectorat des
Pharmacies du Caire,
Mémoires de l'Institut d'Egypte, 15, 166 P. pl. I.IX.,
Le Caire, Egypte,

Engler, A. (1964),
Syllabus der Planzenfamilien II,
Gebrüder Borntraeger Berlin-Nikolassee

Germer, R. (1979),
Untersuchung über Arzneimittelpflanzen im Alten Ägypten,
Diss. Z.Erlangung d. Würde d. Doktors d. Philosophie
d. Univers. Hamburg.

Germer, R. (1985), Flora des pharaonischen Ägypten,
von Zabern, Mainz am Rhein.

- Ghalioungui, Paul (1983),
The Physicians of Pharaonic Egypt,
Verlag Philipp von Zabern,
Mainz am Rhein,
- Helbaek, H. (1962),
Late Cypriot Vegetable diet at Apliki,
Opuscula Atheniensis IV, 171-83-Lund.
- Index Kewensis - 1893 à 1970 et sup.,
Plantarum phanerogarum
- Marganne, M.-H. (1981)
Inventaire analytique des Papyrus Grecs
de Médecine,
Genève: Librairie Droz,
- Meikle, R.D. (1977) and (1985),
Flora of Cyprus, 2 Volumes,
Bentham-Moxon Trust,
Royal Botanic Gardens, Kew, England.
- Moldenke, H.N, and A.L. (1952),
Plants of the Bible,
Waltham Mass.,
Chronica Botanica Co.
- Paris, R.R. et Moyse, H. (1971),
Précis de Matière Médicale,
3 Tomes, Edition Masson,
Paris, France.

- Polunin, Oleg (1980),
Flowers of Greece and the Balkans,
Oxford University Press, England,
- Renfrew, M. (1973),
Palaeoethnobotany,
P, Columbia University Press, New York.
- Schipperges, H. (1970),
Moderne Medizin im Spiegel der Geschichte,
Georg Thieme Verlag - Stuttgart,
- Täckholm, V. (1974),
Students' Flora of Egypt,
Second Edition, Published by Cairo University
Printed by Cooperative Printing Company, Beirut, 1974.
- Till C., W. (1951)
Die Arzneikunde der Kopten.
- Tutin, T.G. and Heywood, V.H. (1964-1980)
Flora Europaea, 5 Volumes,
Cambridge University Press, Great Britain.